

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,808,889

Date Issued: October 26, 2004

Application Number: 09/526,582

Filed: March 16, 2000

Name of Patentee: Judith Fitzpatrick, Regina B. Lenda, and Christopher L. Jones

Title of Invention: *Method and Device for Detection of Apo A, Apo B
and the Ratio thereof in Saliva*

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
DUE TO PTO'S ERRORS**

Sir:

Attached is form PTO/SB/44, which is suitable for printing.

In accordance with MPEP 1485, the exact page and/or claim and line number where errors occurred in the application as filed are discussed below.

LIST OF ERRORS IN THE PATENT

1. Claim 1, column 14, line 39.

PTO'S ERRORS

In error 1, column 14, line 39, "immunoreactive" should be "immunoreactivity". Support for this correction is found in the amendment filed on September 2, 2003, on page 25.

Correction of these errors does not involve such changes in the patent as would constitute new matter or would require re-examination.

Please issue a Certificate of Correction and send the document to:

Customer No. 23579
Patrea L. Pabst
Pabst Patent Group, LLP
400 Colony Square, Suite 1200
1201 Peachtree Street
Atlanta, GA 30361

Applicants believe that no fees are required for this Certificate. However, should a fee be required, the Commissioner is hereby authorized to charge the fee to Deposit Account No. 50-3129.

Very truly yours,

PABST PATENT GROUP LLP

/Charles Vorndran/
Charles Vorndran
Reg. No. 45,315

Date: June 22, 2007

PABST PATENT GROUP LLP
400 Colony Square, Suite 1200
1201 Peachtree Street
Atlanta, Georgia 30361
(404) 879-2153
(404) 879-2160 (Facsimile)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTIONPage 1 of 1

PATENT NO. : 6,808,889

APPLICATION NO.: 09/526,582

ISSUE DATE : October 26, 2004

INVENTOR(S) : Judith Fitzpatrick, Regina B. Lenda, and Christopher L. Jones

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, line 39, replace "immunoreactive" with --immunoreactivity--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Pabst Patent Group LLP
1201 Peachtree Street, Suite 1200
Atlanta, Georgia 30361
United States of America

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 10 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2